


**MANUAL INSERTION**  
(Coplanar Mount)

**SERIES EDQ**

- Straight PC Terminals
- 12x12 mm size



**Height from PCB (h)**

- A** 4.3 mm
- B** 7.5 mm

**Operating Force**    **Life (Cycles)**

- |          |          |                   |
|----------|----------|-------------------|
| <b>1</b> | 100±50gf | 1x10 <sup>5</sup> |
| <b>2</b> | 160±50gf | 5x10 <sup>4</sup> |
| <b>3</b> | 260±70gf | 3x10 <sup>4</sup> |


**SPECIFICATIONS**

**Rating:** 50mA - 12VDC  
**Contact resistance:** 100 mΩ max  
**Bounce:** 5msec max  
**Return force:** 40 gf min

**PACKAGING**

**Qty:** 500/Bag  
**Type of packaging:** Loose

**P.C. Layout**



**MANUAL INSERTION**  
(Coplanar Mount)


**SERIES EDQG**

- Straight PC Terminals
- 12x12 mm size
- Square Stem

**E D Q G -**

Height from PCB (h)	
<b>G</b>	7.3 mm

Operating Force	Life (Cycles)
<b>1</b> 100±50gf	1x10 <sup>6</sup>
<b>2</b> 160±50gf	5x10 <sup>4</sup>
<b>3</b> 260±70gf	3x10 <sup>4</sup>



**CAP + COLOURS OPTIONS**

*Caps*

**EDSC-21-x** Square

**EDSC-22-x** Round

*Colours*

**K** Black

**R** Red

**SPECIFICATIONS**

**Rating:** 50mA - 12VDC

**Contact resistance:** 100 mΩ max

**Bounce:** 5msec max

**Return force:** 40 gf min

**PACKAGING**

**Qty:** 500/Bag

**Type of packaging:** Loose

TACT SWITCHES

- Vertical Bracket
- 12x12 mm size
- Grooved Stem


**E D Q F -**

**Height from PCB (h)**

**F 11.20 mm**

**Operating Force Life (Cycles)**

<b>1</b>	100±50gf	1×10 <sup>5</sup>
<b>2</b>	160±50gf	5×10 <sup>4</sup>
<b>3</b>	260±70gf	3×10 <sup>4</sup>



**P.C. Layout**

**CAP + COLOURS OPTIONS**

- Caps*
- EDCR-12-x** Round
  - EDSC-12-x** Square
- Colours*
- K** Black
  - R** Red

**SPECIFICATIONS**

**Rating:** 50mA - 12VDC  
**Contact resistance:** 100 mΩ max  
**Bounce:** 5msec max  
**Return force:** 40 gf min

**PACKAGING**

**Qty:** 500/Bag  
**Type of packaging:** Loose